Fujitsu recommends Windows 8 Pro.

Data Sheet
Fujitsu LIFEBOOK E752 Notebook

Your Professional Desktop Replacement

If you need a reliable and energy-efficient notebook for daily business use, select the Fujitsu LIFEBOOK E752. The 39.6 cm (15.6-inch) display and useful interfaces offer you enhanced convenience. The modular bay lets you add extra memory or a second battery to increase your flexibility. Moreover, advanced security features protect your valuable company data.

More than enough performance
Maximum productivity even for the most demanding of applications thanks to state-of-the-art technology.
- Up to 3rd generation Intel® Core™ i7 processor, Intel® integrated graphics
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Performance of a desktop in a notebook
Effective working even for the most demanding of users in all situations.
- 39.6 cm (15.6-inch) HD or HD+ display, modular bay, optional second hard disk drive
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Maximum connectivity
Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.
- Integrated DisplayPort, eSATA, serial port, optional USB 3.0, optional embedded 3G/UMTS or 4G/LTE, WLAN and Bluetooth®

Maximum security
Protect your company data against unauthorized third-party access.
- Advanced Theft Protection (Intel® Anti Theft & Computrace®), integrated SmartCard slot, optional fingerprint sensor, TPM module and OmniPass software

Great flexibility
The family concept offers same design and accessory components for LIFEBOOK E752 and E782 as well as for LIFEBOOK S752 and S782.
- Same industrial design, bit image, BIOS and accessories such as port replicator, power supply unit, keyboard and modular bay for optical drive, second battery and second hard disk drive



Fujitsu recommends Windows 8 Pro.

Components

Processor	Intel® Core™ i7-3632QM processor (2.2 GHz, up to 3.2 GHz, 6 MB) *			
	Intel® Core™ i5-3210M processor (2.5 GHz, up to 3.1 GHz, 3 MB) *			
	Intel® Core™ i5-2450M processor (2.5 GHz, 3 MB) *			
	Intel® Core™ i3-3110M processor (2.4 GHz, 3 MB) *			
	Intel® Core™ i3-2370M processor (2.4 GHz, 3 MB) *			
	Intel® Core™ i7-3612QM processor (2.1 GHz, up to 3.1 GHz, 6 MB) *			
	Intel® Core™ i7-3520M processor (2.9 GHz, up to 3.6 GHz, 4 MB)			
	Intel® Core™ i5-3360M processor (2.8 GHz, up to 3.5 GHz, 3 MB)			
	Intel® Core™ i5-3320M processor (2.6 GHz, up to 3.3 GHz, 3 MB)			
	*Processor only for retail, SMB, education and government			
	Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business			
Operating systems				
Operating system	Windows 8 Pro 64-bit Windows 8 64-bit Windows® 7 Professional 64-bit Windows® 7 Home Premium 64-bit Windows® 7 Home Basic (EM) 64-bit			
Operating system compatible	Windows® XP 32-bit Windows® 7 32-bit Windows 8 32-bit			
Operating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via http://support.ts.fujitsu.com			
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM			
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM			
	8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM			
Base unit memory	**LIFEBOOK E752 15.6-inch**	**LIFEBOOK E752 15.6-inch 10-key**	**LIFEBOOK E752 15.6-inch vPro**	**LIFEBOOK E752 15.6-inch vPro 10-key**
Supported capacity RAM (max.)	16 GB			
Memory slots total	2			
Memory slot type	DIMM (DDR3)			
Memory notes	DDR3 - 1600 MHz			
Hard disk drives (internal)	SSD SATA III FDE, 128 GB, 2.5-inch			
	SSD SATA III, 256 GB, 2.5-inch			
	SSD SATA III, 128 GB, 2.5-inch			
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.			
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.			
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.			
	mSATA, 32 GB, SSD cache for IRST & Express Cache			
	FDE, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.			
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)			
WLAN (optional)	Intel® Centrino® 6205 802.11 a/b/g/n			
	Intel® Centrino® Wireless-N2200 b/g/n			
Wireless technologies				
Antennas	2 dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional			

Fujitsu recommends Windows 8 Pro.

Wireless technologies	
WLAN notes	Import and usage according to country-specific regulations.
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)
	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
Bluetooth (optional)	Bluetooth 4.0
Display	39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, compound, 1600 x 900 pixel, 300:1, 220 cd/m
	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m
Modular bay options	2nd battery
	2nd hard disk drive (S-ATA II)
	Blu-ray Disc™ Triple Writer
	DVD Super Multi
	Weight saver

Base unit	LIFEBOOK E752 15.6-inch	LIFEBOOK E752 15.6-inch 10-key	LIFEBOOK E752 15.6-inch vPro	LIFEBOOK E752 15.6-inch vPro 10-key
General system information				
Chipset	Intel® HM76		Intel® QM77	
Chipset notes			supports iAMT 8.0, Intel® vPro™ requires Core i5-33xx / i7-35xx processor, Intel W-LAN 6205 & TPM module	
BIOS features	BIOS based on Phoenix SecureCore			
Graphics				
TFT resolution (DisplayPort)	up to 2560 x 1600			
TFT resolution (VGA)	up to 1920 x 1200			
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200			
TFT resolution (DisplayPort on Port Replicator)	up to 2560 x 1600			
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors			
Graphics features	3 Display Support with 3rd generation Core i processors			
Graphics notes	Shared memory depending on main memory size and operating system			
Interfaces				
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB, MS Pro, MS Pro Duo)			
ExpressCard slots	1 (34 / 54 mm supported)			
SmartCard slot	1			
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)			
Modem (RJ-11)	1 (optional)			
eSATA & USB combo	1			
USB 3.0 total	2			
USB 2.0 total	2 (1x with Anytime USB Charge functionality)			
Serial (RS-232)	1			
VGA	1			
DisplayPort	1 (V1.1a)			
Ethernet (RJ-45)	1			
DC-in	1			
Audio: line-in / microphone	1			
Audio: line-out / headphone	1			
Internal microphones	2x digital (array) microphones as option			
Docking connector for Port Replicator	1			
Kensington Lock support	1			

Wired communication				
Modem type	Optional: 56 K V.92 modem			
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 V		Built-in 10/100/1000 MBit/s Intel® 82579 LM	
Keyboard and pointing devices				
	Spill-resistant keyboard (new layout)	Spill-resistant keyboard	Spill-resistant keyboard (new layout)	Spill-resistant keyboard
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 104, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 104, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
	Multi gesture touchpad with two mouse buttons Optional: Fingerprint sensor Optional: TouchStick Application buttons			
Multimedia				
Audio type	On board			
Audio codec	Realtek ALC269			
Audio features	Stereo speakers			
Camera	Optional: Built-in HD webcam or Full HD webcam (Microsoft® Lync™) (depending on configuration)			
Power supply				
AC Adapter	19 V / 65 W (3.42 A) , 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Slim and light AC-Adapter			
	19 V / 65 W (3.42 A) , 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard AC-Adapter			
	19 V / 100 W (5.27 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter			
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter			
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology			
Notes	65W AC Adapter for usage with system with i3/i5 processors/ 80W AC Adapter for usage with Port Replicator or for systems with i7 processor			
1st battery options	Li-Ion battery 6-cell, 6700 mAh, 72 Wh			
	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh			
2nd battery (optional)	Li-Ion battery 6-cell, 3.800 mAh, 41 Wh			
Runtime 1st battery	up to 12 h			
Runtime 1st + 2nd battery	up to 18 h			
Battery charging time	~160 min (63Wh) ~ 190 min (72Wh)			
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.			
Power consumption				
Power consumption note	See white paper Energy Consumption			
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=a8df36af-cd99-4eb7-8519-c69dee796c7c			
Dimensions / Weight / Environmental				
Dimensions (W x D x H)	372 x 245 x 35 mm			
Weight	2.5 kg			
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.			
Operating ambient temperature	5 - 35°C			
Operating relative humidity	20 - 85 %			

Fujitsu recommends Windows 8 Pro.

Additional Software

Additional software (preinstalled)	Adobe® Reader® Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) 60 days version Win8: Microsoft Push Button Recovery (Hard Disk Based Recovery) Don't forget Office. Win7: Fujitsu Recovery (Hard Disk Based Recovery)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® Standard Manageability WoL (Wake on LAN)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 8.0 (depending on CPU)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html	

Security

System protection	Kensington Lock support
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 60 days version
Access protection	Hard disk password Integrated SmartCard slot User and supervisor BIOS password Optional: Integrated fingerprint sensor including OmniPass software

Compliance

Germany	GS (planned)
Europe	CE CB Nordic Swan in progress
USA/Canada	FCC (depending on configuration)
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® Gold (dedicated regions)
China	CCC (depending on configuration)

Compliance	
Compliance notes	Above mentioned compliances are planned but not available at preliminary stage.
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Port Replicator interfaces (optional)	
DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200)
Serial (RS-232)	1
Ethernet (RJ-45)	1 (10/100/1000)
Parallel	1
Kensington Lock support	2 (1x Port rep only, 1x PR & System)
eSATA	1
Notes	Port replicator supports 0-Watts functionality in combination with LIFEBOOK E752, E782 and LIFEBOOK S752, S782

Warranty	
Standard Warranty	1 year
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)
Maintenance and Support Services - the perfect extension	
Recommended Service	5x9, response time: next business day, on-site-Service
Spare Parts availability	5 years
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Port Replicator		Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu docking options. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse, for example. Your workplace is simple and tidy while you are ready to work with your notebook.	Order Code: S26391-F1147-L100
USB 3.0 Hub 4 Ports		Connecting all of your USB peripherals is quick and easy with the Fujitsu USB 3.0 Hub 4 Ports. SuperSpeed USB 3.0 makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically.	Order Code: S26391-F6099-L304
AC Adapter LIFEBOOK		Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere – just leave one AC Adapter in your office and take your second AC-Adapter along with you.	Order Code: S26391-F886-L200

Second Battery for Modular Bay		Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.	Order Code: S26391-F777-L200
Prestige Case Midi 16		The Prestige Case Midi 16 protects notebooks with up to 16-inch screens. The front half of the bag has compartments for your notebook, power cord and office supplies. It features nylon mesh pockets so you can see your modular bay accessories. The back half of the bag has a divided file compartment.	Order Code: S26391-F1191-L60
DisplayPort to HDMI Adapter Cable		The Fujitsu DisplayPort to HDMI Adapter Cable offers a fast and easy way to connect every device with a DisplayPort to any HDMI display. It allows you to convert your Dual mode DisplayPort inputs to digital HDMI signals.	Order Code: S26391-F6055-L210
Wireless Notebook Mouse WI610		The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.	Order Code: S26381-K460-L100

Fujitsu recommends Windows 8 Pro.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK E752, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio
Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK E752, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT
FUJITSU Technology Solutions
Website: www.fujitsu.com/fts
2012-10-26 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions